L Number	Hits	Search Text	DB	Time stamp
_	1000	access with server with firewall	USPAT; US-PGPUB; EPO; JPO;	2003/08/01 09:12
-	32	access with server with firewall and receiv\$4 with proxy with connect\$4 with request	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/08/01 09:05
-	212	receiv\$4 with proxy with connect\$4 with request	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/08/01 09:10
-	32	(access with server with firewall) and (receiv\$4 with proxy with connect\$4 with request)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/08/01
_	14	(access with server with firewall) and (receiv\$4 with proxy with connect\$4 with request) and authenticat\$4 with client	IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB	2003/08/01
-	1	(access with server with firewall) and (receiv\$4 with proxy with connect\$4 with request) and authenticat\$4 with client and first adj proxy and second adj proxy and inside with firewall and outside with firewall	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:07
_	2	(access with server with firewall) and (receiv\$4 with proxy with connect\$4 with request) and authenticat\$4 with client and first adj proxy and second adj proxy	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2003/08/01 09:08
_	3	(access with server with firewall) and (receiv\$4 with proxy with connect\$4 with request) and authenticat\$4 with client and inside with firewall and outside with firewall	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:11
-	1127	receiv\$4 with proxy and connect\$4 with request	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2003/08/01 09:10
-	5	(access with server with firewall) and (receiv\$4 with proxy and connect\$4 with request) and authenticat\$4 with client and inside with firewall and outside with firewall	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01
_	53		USPAT; US-PGPUB; EPO; JPO; IBM TDB	2003/08/01 09:12
-	28	access with server with inside with firewall and proxy	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2003/08/01 09:12
_	24	access with server with inside with firewall and proxy and connect\$4	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2003/08/01 09:13
-	8	access with server with inside with firewall and proxy and connect\$4 and authenticat\$4 with (client user customer)	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2003/08/01 09:19
-	7	access with server with inside with firewall and proxy and connect\$4 and authenticat\$4 with (client user customer) and inside adj firewall and outside adj firewall	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01

_	8	(access with server with firewall) and (USPAT;	2003/08/01
		receiv\$4 with proxy and connect\$4 with	US-PGPUB;	09:20
		request) and authenticat\$4 with (client	EPO; JPO;	
		user customer) and inside with firewall	IBM_TDB	
		and outside with firewall		
-	1	"20020169980"	USPAT;	2003/08/01
	!	•	US-PGPUB;	09:29
			EPO; JPO;	i
		#20000160000# \	IBM_TDB	0000 (00 (01
_	0	"20020169980" and ("6334056" "6088796"	USPAT;	2003/08/01
		"6463418").pn.	US-PGPUB;	09:30
			EPO; JPO; IBM TDB	
	4	"20020169980" ("6334056" "6088796"	USPAT;	2003/08/01
-	7	"6463418").pn.	US-PGPUB;	09:30
		0403410).pn.	EPO; JPO;	09.30
			IBM TDB	
l _	4	("20020169980" ("6334056" "6088796"	USPAT;	2003/08/01
	, ,	"6463418").pn.)	US-PGPUB;	09:31
		0105110 /.pn./	EPO; JPO;	05.31
			IBM TDB	
_	4	("20020169980" ("6334056" "6088796"	USPAT;	2003/08/01
	-	"6463418").pn.) and firewall	US-PGPUB;	09:32
			EPO; JPO;	
			IBM TDB	
-	3	("20020169980" ("6334056" "6088796"	USPAT;	2003/08/01
	1	"6463418").pn.) and firewall and inside	US-PGPUB;	09:31
		adj firewall and outside adj firewall	EPO; JPO;	
			IBM TDB	
-	3	("20020169980" ("6334056" "6088796"	USPAT;	2003/08/01
1		"6463418").pn.) and firewall and inside	US-PGPUB;	09:32
		adj firewall and outside adj firewall and	EPO; JPO;	
		connect\$4 with request\$4	IBM_TDB	
-	3	("20020169980" ("6334056" "6088796"	USPAT;	2003/08/01
		"6463418").pn.) and firewall and inside	US-PGPUB;	09:32
		adj firewall and outside adj firewall and	EPO; JPO;	
		connect\$4 with request\$4 and receiv\$4	IBM_TDB	
		with request		
-	4	("20020169980" ("6334056" "6088796"	USPAT;	2003/08/01
		"6463418").pn.) and firewall and inside	US-PGPUB;	09:33
		with firewall and outside with firewall	EPO; JPO;	
	,	/#20020160000# /#6224056# #6000706#	IBM_TDB	2002/00/01
-	4	("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside	USPAT;	2003/08/01
		with firewall and outside with firewall	US-PGPUB; EPO; JPO;	03.34
İ		and connect\$4 with request\$4 and receiv\$4	IBM_TDB	
		with request	12.1_100	
_	4	("20020169980" ("6334056" "6088796"	USPAT;	2003/08/01
	1	"6463418").pn.) and firewall and inside	US-PGPUB;	09:34
		with firewall and outside with firewall	EPO; JPO;	
		and connect\$4 with request\$4 and receiv\$4	IBM TDB	
		with request and authenticat\$4 with		
		(client user customer)		
-	0	("20020169980" ("6334056" "6088796"	USPAT;	2003/08/01
		"6463418").pn.) and firewall and inside	US-PGPUB;	09:35
1		with firewall and outside with firewall	EPO; JPO;	
		and connect\$4 with request\$4 and receiv\$4	IBM_TDB	
		with request and authenticat\$4 with		
		(client user customer) and first adj		
	_	proxy		0000/00/55
-	1	,	USPAT;	2003/08/01
		"6463418").pn.) and firewall and inside	US-PGPUB;	09:36
		with firewall and outside with firewall	EPO; JPO;	
		and connect\$4 with request\$4 and receiv\$4	IBM_TDB	
		with request and authenticat\$4 with		
1		(client user customer) and proxy and		
L		(receiv\$4 get\$4 send\$4 sent) with proxy	l	

			•	
-	1	("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside with firewall and outside with firewall and connect\$4 with request\$4 and receiv\$4 with request and authenticat\$4 with (client user customer) and proxy and receiv\$4 with proxy	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01
-	1	("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside with firewall and outside with firewall and connect\$4 with request\$4 and receiv\$4 with request and authenticat\$4 with (client user customer) and proxy and receiv\$4 same proxy	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:37
-	1	("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside with firewall and outside with firewall and connect\$4 with request\$4 and receiv\$4 with request and authenticat\$4 with (client user customer) and proxy and document	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:41
-	0	("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside with firewall and outside with firewall and connect\$4 with request\$4 and receiv\$4 with request and authenticat\$4 with (client user customer) and proxy and hyperlink	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:40
-	0	("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside with firewall and outside with firewall and connect\$4 with request\$4 and receiv\$4 with request and authenticat\$4 with (client user customer) and proxy and hyper\$link	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01
-	0	("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside with firewall and outside with firewall and connect\$4 with request\$4 and receiv\$4 with request and authenticat\$4 with (client user customer) and proxy and hyperlink	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:40
-	1	("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside with firewall and outside with firewall and connect\$4 with request\$4 and receiv\$4 with request and authenticat\$4 with (client user customer) and proxy and translat\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:41
_	0	("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside with firewall and outside with firewall and connect\$4 with request\$4 and receiv\$4 with request and authenticat\$4 with (client user customer) and proxy and translat\$4 and document	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:41
-	39526	("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside with firewall and outside with firewall and connect\$4 with request\$4 and receiv\$4 with request and authenticat\$4 with (client user customer) and proxy hyper\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01
_	2	("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside with firewall and outside with firewall and connect\$4 with request\$4 and receiv\$4 with request and authenticat\$4 with (client user customer) and proxy and hyper\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01

		1/112002016000011 /11622405611 1160007061	tranam	1 2002 /00 /22
-	4	("20020169980" ("6334056" "6088796"	USPAT;	2003/08/01
		"6463418").pn.) and firewall and inside	US-PGPUB;	11:59
		with firewall and outside with firewall	EPO; JPO;	
		and connect\$4 with request\$4 and receiv\$4	IBM_TDB	
		with request and authenticat\$4 with		
İ		(client user customer) and proxy		
-	0	, , _ , , , , , , , , , , , , , , , , ,	USPAT;	2003/08/01
		"6463418").pn.) and firewall and inside	US-PGPUB;	12:00
		with firewall and outside with firewall	EPO; JPO;	
		and connect\$4 with request\$4 and receiv\$4	IBM TDB	<u> </u>
		with request and authenticat\$4 with	_	
'		(client user customer) and proxy and		
		(translat\$4 conver\$4) with hyper\$5		ŀ
_	3	firewall and inside with firewall and	USPAT;	2003/08/01
		outside with firewall and connect\$4 with	US-PGPUB;	12:02
		request\$4 and receiv\$4 with request and	EPO; JPO;	12.02
		authenticat\$4 with (client user customer)	IBM TDB	
		and proxy and (translat\$4 conver\$4) with	1511_155	
		hyper\$5		ļ
_	0	firewall and authenticat\$4 with (client	USPAT;	2003/08/01
		user customer) and proxy and document	US-PGPUB;	12:03
		with hyper\$link and (translat\$4 conver\$4)	1	12:03
	1		EPO; JPO;	
1_	40	with hyper\$link	IBM_TDB	2002/02/01
_	1 40		USPAT;	2003/08/01
		user customer) and proxy and document	US-PGPUB;	12:04
	1	with hyper\$link	EPO; JPO;	'
	1 _	[IBM_TDB	
-	0	firewall and authenticat\$4 with (client	USPAT;	2003/08/01
		user customer) and proxy and document	US-PGPUB;	12:04
		with hyper\$link and hyper\$link with	EPO; JPO;	
		(translat\$4 conver\$5)	IBM_TDB	į
-	2	firewall and authenticat\$4 with (client	USPAT;	2003/08/01
		user customer) and proxy and document	US-PGPUB;	12:08
		with hyper\$link and hyper\$link same	EPO; JPO;	
ļ		(translat\$4 conver\$5)	IBM TDB	
-	76	authenticat\$4 with (client user customer)	USPAT;	2003/08/01
		and proxy and document with hyper\$link	US-PGPUB;	12:08
		and hyper\$link same (translat\$4 conver\$5)	EPO; JPO;	-2.55
		11	IBM TDB	
_	0	authenticat\$4 with (client user customer)	USPAT;	2003/08/01
		and proxy and document with hyper\$link	US-PGPUB;	12:08
		and hyper\$link adj (translat\$4 conver\$5)	EPO; JPO;	1 12.00
-			IBM TDB	į
_	71	authenticat\$4 with (client user customer)	USPAT;	2003/08/01
1	'-	and proxy and document with hyper\$link	US-PGPUB;	12:09
		and hyper\$link with (translat\$4 conver\$5)		12.03
			EPO; JPO;	
_	0	authenticat\$4 with (client user customer)	IBM_TDB USPAT;	2002/09/01
		and proxy and document with hyper\$link	US-PGPUB;	2003/08/01
1 .	'	and hyper\$link with (translat\$4 conver\$5)		12:10
1		and (re\$write substitut\$4 re\$rout\$4) with	EPO; JPO;]
1		and (reswrite substituts4 resrouts4) with hyper\$link	IBM_TDB	
1_	2		tta Dam	2002/00/02
1 -	2	authenticat\$4 with (client user customer)	USPAT;	2003/08/01
1		and proxy and document with hyper\$link	US-PGPUB;	12:10
1		and hyper\$link with (translat\$4 conver\$5)	EPO; JPO;	
		and (chang\$4 re\$direct\$4 modif\$4) with	IBM_TDB	
		hyper\$link		
-	1	authenticat\$4 with (client user customer)	USPAT;	2003/08/01
1		and proxy and document with hyper\$link	US-PGPUB;	12:12
		and hyper\$link with (translat\$4 conver\$5)	EPO; JPO;	
		and (chang\$4 re\$direct) with hyper\$link	IBM_TDB	
-	27	document with hyper\$link and hyper\$link	USPĀT;	2003/08/01
		with (translat\$4 conver\$5) and (chang\$4	US-PGPUB;	12:13
		re\$direct substitut\$4 re\$writ\$4 modif\$4	EPO; JPO;	
		replac\$4) with hyper\$link	IBM TDB	
-	15	document with hyper\$link and hyper\$link	USPAT;	2003/08/01
!		with (translat\$4 conver\$5) and (chang\$4	US-PGPUB;	12:14
1		re\$direct substitut\$4 re\$writ\$4 modif\$4	EPO; JPO;	
		replac\$4) with hyper\$link and pars\$4	IBM TDB	1
		AF , Puzzy 4		L

_	35	document with hyper\$link and hyper\$link	USPAT;	2003/08/01
		with (translat\$4 re\$writ\$4 chang\$4	US-PGPUB;	12:15
		modif\$4 conver\$5) and (chang\$4 re\$direct	EPO; JPO;	
		substitut\$4 re\$writ\$4 modif\$4 replac\$4) with hyper\$link and pars\$4	IBM_TDB	
_	R	document with hyper\$link and hyper\$link	USPAT;	2003/08/01
		with (translat\$4 re\$writ\$4 chang\$4	US-PGPUB;	13:15
		modif\$4 conver\$5) and (chang\$4 re\$direct	EPO; JPO;	1
		substitut\$4 re\$writ\$4 modif\$4 replac\$4)	IBM TDB	
		with hyper\$link and pars\$4 with	_	İ
		hyper\$link		
-	0	document with hyper\$link and hyper\$link	USPAT;	2003/08/01
		with (translat\$4 re\$writ\$4 chang\$4	US-PGPUB;	13:16
		<pre>modif\$4 conver\$5) and (chang\$4 re\$direct substitut\$4 re\$writ\$4 modif\$4 replac\$4)</pre>	EPO; JPO; IBM TDB	
		with hyper\$link and pars\$4 with	154-155	
		hyper\$link and hyper\$link with secur\$4		
_	0	document with hyper\$link and (chang\$4	USPAT;	2003/08/01
		re\$direct substitut\$4 re\$writ\$4 modif\$4	US-PGPUB;	13:17
		replac\$4) with hyper\$link and pars\$4 with	EPO; JPO;	
	_	hyper\$link and hyper\$link with secur\$4	IBM_TDB	
-	0	document with hyper\$link and (chang\$4	USPAT;	2003/08/01
		re\$direct substitut\$4 re\$writ\$4 modif\$4	US-PGPUB; EPO; JPO;	13:17
		replac\$4) with hyper\$link and pars\$4 and hyper\$link with secur\$4	IBM TDB	
-	62	hyper\$link with secur\$4	USPAT;	2003/08/01
	_		US-PGPUB;	13:19
			EPO; JPO;	
1			IBM_TDB	
-	8	hyper\$link adj secur\$4	USPAT;	2003/08/01
			US-PGPUB;	13:17
			EPO; JPO; IBM TDB	·
-	3	hyper\$link adj secur\$4 with (information	USPAT;	2003/08/01
		data)	US-PGPUB;	13:18
			EPO; JPO;	
			IBM_TDB	
-	3	hyper\$link adj secur\$4 with (information	USPAT;	2003/08/01
		data)	US-PGPUB; EPO; JPO;	13:18
			IBM TDB	
_	22	hyper\$link with secur\$4 with	USPAT;	2003/08/01
		(information data)	US-PGPUB;	13:19
			EPO; JPO;	
			IBM_TDB	
-	3	hyper\$link with secur\$4 with (information	USPAT;	2003/08/01
		data) and document and (translat\$4	US-PGPUB;	13:23
1		re\$writ\$4 conver\$4 chang\$4 modif\$4) with hyper\$link	EPO; JPO; IBM TDB	
_	6	hyper\$link with secur\$4 with (information	USPAT;	2003/08/01
		data) and document and (translat\$4	US-PGPUB;	13:26
		re\$writ\$4 conver\$4 chang\$4 modif\$4	EPO; JPO;	
		substitut\$4 replac\$4) with hyper\$link	IBM_TDB	
-	6	hyper\$link with secur\$4 with (information	USPAT;	2003/08/01
		data) and document and (translat\$4	US-PGPUB;	13:26
		re\$writ\$4 conver\$4 chang\$4 modif\$4	EPO; JPO;	
	<u> </u>	substitut\$4 replac\$4 re\$do\$4) with hyper\$link	IBM_TDB	
_	16	hyper\$link with secur\$4 with (information	USPAT;	2003/08/01
		data) and document	US-PGPUB;	13:28
1			EPO; JPO;	
			IBM_TDB	
-	3	hyper\$link adj secur\$4 with (information	USPAT;	2003/08/01
		data) and document	US-PGPUB;	13:28
			EPO; JPO; IBM TDB	
L	L		T THE THE	